

[illegible]

```

CCCCCCCCC LL DDDDDDDDD
CCCCCCCCC LL DDDDDDDDD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CC DD
CCCCCCCCC LLLLLLLLLL DDDDDDDDD
CCCCCCCCC LLLLLLLLLL DDDDDDDDD

```

*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*

* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*

* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*

* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*

module mail\$command_table

Version: 'V04-000'

MODIFIED BY:

V03-014	ROP0016	Robert Posniak	02-JUL-1984
	Change p2 in Set Forward to a appropriate type.		
V03-013	BLS0292	Benn Schreiber	8-APR-1984
	Add Send/attach hook		
V03-012	BLS0263	Benn Schreiber	4-FEB-1984
	Add COMPRESS command.		
V03-011	BLS0255	Benn Schreiber	28-Dec-1983
	Add some disallows where appropriate. Add SHOW KEY command.		
V03-010	BLS0246	Benn Schreiber	28-Nov-1983
	Add /edit to several commands.		
V03-009	BLS0235	Benn Schreiber	23-Aug-1983
	Add prompts to define/key, remove \$infile value types where incorrectly applied.		
V03-008	BLS0229	Benn Schreiber	16-Jul-1983
	Add SHOW NEW_MAIL_COUNT command		
V03-007	BLS0225	Benn Schreiber	17-Jun-1983
	Forgot to update SHOW WASTEBASKET_NAME.		
V03-006	BLS0222	Benn Schreiber	15-May-1983
	Change command to SET WASTEBASKET_NAME		

V03-005 BLS0220 Benn Schreiber 30-Apr-1983
Everybody hated typing DE, so D is back. Add SET/SHOW
of AUTO_PURGE, MAIL_DIRECTORY

V03-004 BLS0217 Benn Schreiber 12-Apr-1983
Remove D as a legal command. Add SPAWN, ATTACH, and
/SELF qualifier for SEND, REPLY. Add SET COPY command.

V03-003 PCA1008 Paul C. Anagnostopoulos 29-Mar-1983
Change the way in which verb name abbreviations are
specified in order to conform to the new CDU.

V03-002 BLS0214 Benn Schreiber 27-Mar-1983
Add DELETE/ALL, REPLY/EXTRACT, SHOW DELETED, SHOW FOLDER,
and make E and EX synonyms for EXIT

define syntax attach_parent
parameter p1,value
qualifier parent,default

define verb attach
routine mail\$cmd_attach
parameter p1,value(required),prompt="Process"
qualifier parent,nonnegatable,syntax=attach_parent
disallow p1 and parent

define verb back
routine mail\$cmd_back
qualifier edit

define verb compress
routine mail\$cmd_compress
parameter p1,value(type=\$infile),label=file
!qualifier fdl,value(required,type=\$infile)
qualifier output,value(type=\$outfile)

define verb current
routine mail\$cmd_current
qualifier edit

define syntax define_key
parameter p1,value(required),prompt="Key name"
parameter p2,value(required),prompt="Translation"
qualifier echo,default
qualifier terminate
qualifier lock_state
qualifier if_state,value(required,list)
qualifier set_state,value(required)
qualifier log
disallow (not lock_state and terminate and set_state)
disallow (lock_state and not set_state)

define verb define
routine mail\$cmd_define
qualifier key,syntax=define_key

disallow (not key)

define verb delete

synonym d

synonym de

cliflags(abbreviate)

routine mail\$cmd_delete

parameter p1,label=delnum

qualifier all,nonnegatable

disallow all and delnum

define verb directory

routine mail\$cmd_directory

parameter p1,label=folder_name,value

qualifier before,value(type=\$datetime),nonnegatable

!qualifier flag

qualifier folder

!qualifier from,value,nonnegatable

qualifier full,nonnegatable

qualifier new

!qualifier replied

qualifier since,value(type=\$datetime),nonnegatable

qualifier start,value(default='1')

disallow folder and (before or full or new or since)

define verb copy

routine mail\$cmd_copy

parameter p1,label=folder_name,prompt='Folder',value(required)

parameter p2,label=file,value(type=\$infile),prompt='File'

qualifier all,nonnegatable

qualifier confirm,default

define verb erase

routine mail\$cmd_erase

define verb extract

routine mail\$cmd_extract

parameter p1,label=extf,prompt='File',value(required,type=\$infile)

qualifier all,nonnegatable

qualifier append,nonnegatable

qualifier header,default

qualifier mail,nonnegatable

define verb edit

routine mail\$cmd_edit

parameter p1,label=input,prompt='File',value(required,type=\$infile)

qualifier command,value(type=\$infile)

qualifier create

qualifier journal,value(type=\$infile)

qualifier output,value(type=\$infile)

qualifier read,nonnegatable

qualifier recover,nonnegatable

disallow read and (create or recover)

define verb exit

synonym e


```
synonym ex
cliflags(abbreviate)
routine mail$cmd_set_exit
```

```
define verb first
routine mail$cmd_first
qualifier edit
```

```
define verb forward
routine mail$cmd_forward
qualifier edit
qualifier header,default
```

```
define verb help
routine mail$cmd_help
parameter p1,label=helpkeys,value(type=$rest_of_line)
```

```
define verb last
routine mail$cmd_last
qualifier edit
```

```
define verb move
synonym file
routine mail$cmd_move
parameter p1,label=folder_name,prompt="Folder",value(required)
parameter p2,label=file,value(type=$infile),prompt="File"
qualifier all,nonnegatable
qualifier confirm,default
```

```
define verb next
routine mail$cmd_next
qualifier edit
```

```
define verb print
synonym p
routine mail$cmd_print
qualifier all
qualifier copies,value(required)
qualifier notify
qualifier print
qualifier queue,value(required)
disallow print and (all or copies or queue)
```

```
define verb purge
routine mail$cmd_purge
qualifier reclaim,nonnegatable
qualifier statistics,nonnegatable
```

```
define verb quit
routine mail$cmd_set_quit
```

```
define verb reply
synonym r
synonym re
synonym answer
cliflags(abbreviate)
```



```
routine mail$cmd_reply
parameter p1,label=replf,value(type=$infile)
qualifier edit
qualifier extract
qualifier last,nonnegatable
qualifier self
disallow last and (edit or extract or replf)

define verb read
routine mail$cmd_read
parameter p1,label=read1,value
parameter p2,label=read2,value
qualifier before,value(type=$datetime),nonnegatable
qualifier edit
!qualifier flag
!qualifier from,value,nonnegatable
qualifier new
!qualifier replied
qualifier since,value(type=$datetime),nonnegatable

define verb select
routine mail$cmd_select
parameter p1,label=folder_name,prompt="Folder",value
qualifier before,value(type=$datetime),nonnegatable
!qualifier flag
!qualifier from,value,nonnegatable
qualifier new
!qualifier replied
qualifier since,value(type=$datetime),nonnegatable

define verb send
synonym s
synonym se
synonym mail
cliflags(abbreviate)
routine mail$cmd_send
parameter p1,label=send1,value(type=$infile)
qualifier attachment,nonnegatable
qualifier last,nonnegatable
qualifier subject,nonnegatable,value(required)
qualifier edit
qualifier self
disallow last and (send1 or edit)
disallow attachment and not send1

define verb search
routine mail$cmd_search
parameter p1,label=search1,value(type=$rest_of_line)
qualifier next,nonnegatable

define syntax set_auto_syntax
routine mail$cmd_set_auto
parameter p1,value(required)

define syntax set_noauto_syntax
routine mail$cmd_set_noauto
```



```
parameter p1,value(required)

define syntax set_dir_syntax
routine mail$cmd_set_dir
parameter p1,value(required)
parameter p2,label=file,value(required,type=$infile),prompt='Directory'
qualifier log

define syntax set_nodir_syntax
routine mail$cmd_set_nodir
parameter p1,value(required)
qualifier log

define syntax set_file_syntax
routine mail$cmd_set_file
parameter p1,value(required)
parameter p2,label=file,value(type=$infile)

define syntax set_folder_syntax
routine mail$cmd_select
parameter p1,value(required)
parameter p2,label=folder_name,prompt='Folder',value
qualifier before,value(type=$datetime),nonnegatable
!qualifier flag
!qualifier from,value,nonnegatable
qualifier new
!qualifier replied
qualifier since,value(type=$datetime),nonnegatable

define syntax set_forward_syntax
routine mail$cmd_set_forward
parameter p1,value(required)
parameter p2,label=setf1,prompt='Address',value(required)
qualifier user,value(required),nonnegatable

define syntax set_noforward_syntax
routine mail$cmd_set_noforward
parameter p1,value(required)
qualifier user,value(required),nonnegatable

define syntax set_name_syntax
routine mail$cmd_set_name
parameter p1,value(required)
parameter p2,label=setn1,prompt='Name',value(required,type=$rest_of_line)

define type set_self_types
keyword nosend
keyword noreply
keyword reply
keyword send

define syntax set_self_syntax
routine mail$cmd_set_self
parameter p1,value(required)
parameter p2,label=setn1,prompt='On',value(list,type=set_self_types)
define syntax set_noname_syntax
```



```
routine mail$cmd_clear_name
parameter p1,value(required)

define syntax set_waste_syntax
routine mail$cmd_set_waste
parameter p1,value(required)
parameter p2,label=wastename,prompt='Folder',value(required)

define type set_options
keyword auto_purge,syntax=set_auto_syntax
keyword noauto_purge,syntax=set_noauto_syntax,nonnegatable
keyword copy_self,syntax=set_self_syntax,nonnegatable
keyword file,syntax=set_file_syntax,nonnegatable
keyword folder,syntax=set_folder_syntax,nonnegatable
keyword forward,syntax=set_forward_syntax
keyword mail_directory,syntax=set_dir_syntax
keyword nomail_directory,syntax=set_nodir_syntax,nonnegatable
keyword noforward,syntax=set_noforward_syntax,nonnegatable
keyword personal_name,syntax=set_name_syntax
keyword nopersonal_name,syntax=set_noame_syntax,nonnegatable
keyword wastebasket_name,syntax=set_waste_syntax,nonnegatable

define syntax show_all_syntax
routine mail$cmd_show_all
parameter p1,value(required)

define syntax show_auto_syntax
routine mail$cmd_show_auto
parameter p1,value(required)

define syntax show_del_syntax
routine mail$cmd_show_delmsg
parameter p1,value(required)

define syntax show_dir_syntax
routine mail$cmd_show_dir
parameter p1,value(required)

define syntax show_file_syntax
routine mail$cmd_show_file
parameter p1,value(required)

define syntax show_folder_syntax
routine mail$cmd_show_folder
parameter p1,value(required)

define syntax show_forward_syntax
routine mail$cmd_show_forward
parameter p1,value(required)
qualifier user,value(required),nonnegatable

define syntax show_all_keys
parameter p1,label=option,value(required)

define syntax show_all_states
parameter p1,label=option,value(required)
```



```
define syntax show key syntax
routine mail$cmd_show_key
parameter p1,value(required)
parameter p2,label=keyname,prompt='Key name',value(required)
qualifier all,syntax=show_all_keys
qualifier state,value(required,list)
qualifier brief
qualifier directory,syntax=show_all_states
disallow directory and (brief or state or all)

define syntax show_name_syntax
routine mail$cmd_show_name
parameter p1,value(required)
qualifier user,value(required),nonnegatable

define syntax show_new_syntax
routine mail$cmd_show_new
parameter p1,value(required)

define syntax show_self_syntax
routine mail$cmd_show_self
parameter p1,value(required)

define syntax show_waste_syntax
routine mail$cmd_show_waste
parameter p1,value(required)

define type show_options
keyword all,syntax=show_all_syntax,nonnegatable
keyword auto_purge,syntax=show_auto_syntax,nonnegatable
keyword copy_self,syntax=show_self_syntax,nonnegatable
keyword deleted,syntax=show_del_syntax,nonnegatable
keyword file,syntax=show_file_syntax,nonnegatable
keyword folder,syntax=show_folder_syntax,nonnegatable
keyword forward,syntax=show_forward_syntax,nonnegatable
keyword key,syntax=show_key_syntax,nonnegatable
keyword mail_directory,syntax=show_dir_syntax,nonnegatable
keyword new_mail_count,syntax=show_new_syntax,nonnegatable
keyword personal_name,syntax=show_name_syntax,nonnegatable
keyword wastebasket_name,syntax=show_waste_syntax,nonnegatable

define verb set
routine mail$cmd_null
parameter p1,prompt='What',value(required,type=set_options)


define verb show
routine mail$cmd_null
parameter p1,prompt='What',value(required,type=show_options)

define verb spawn
routine mail$cmd_spawn
parameter p1,value(type=$rest of line)
qualifier process,value(required)
qualifier wait,default
qualifier log,default
```


qualifier input,value(required,type=\$infile)
qualifier output,value(required,type=\$outfile)
qualifier symbols,default
qualifier logical_names,default
qualifier notify

0227 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY



0228 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY